March 2005



Properties, Hazards and Safety Information for HDI*

Product: HDI (Hexamethylene-1,6-diisocyanate; CAS No. 822-06-0)

First aid measures

General	Contaminated clothing must be taken off immediately.
Skin	Wipe off mechanically and wash affected areas thoroughly with soap and water
contact	for at least 15 minutes. Dispose of contaminated clothing or was thoroughly
	before reuse. For severe exposures, the affected person should get under a
	safety shower, using the flushing action of the water to remove the bulk of the
	chemical, then remove contaminated clothing and wash skin with soap and
	water. Seek medical attention. For lesser exposures, the individual should seek
	medical attention if irritation develops or persists after the area is washed.
Inhalation	The person should move to an area free from risk of further exposure. Oxygen
	or artificial respiration should be administered as needed. Asthmatic-type
	symptoms may develop and may be immediate or delayed up to 24 hours.
	Treatment is essentially symptomatic. A physician should be consulted.
Eye	Flush with large amounts of lukewarm water for at least 15 minutes, holding
contact	eyelids open all the time. Refer the affected individual to an eye specialist or
	other physician for immediate follow-up.
Ingestion	Vomiting should not be induced and nothing should be given orally to an
	unconscious or convulsing person. A physician should be consulted.

^{*}More detailed information should be taken from the suppliers' Material Safety Data Sheets